

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	42729	((web adj page\$1) or webpage\$1) and (design\$3 or establish\$3 or develop\$4)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 16:26
S3	886	(java adj servlet\$1) and S2	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/12/30 16:30
S4	2413	(715/513).CCLS.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2005/12/30 16:29
S5	822	generat\$4 and S3	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/01/18 10:47
S8	2	("20040107423").PN.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/07/18 12:13
S9	2	("6604106").PN.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/07/18 15:03
S10	951	((web ADJ page\$1) or webpage\$1) SAME parameter\$1 SAME identif\$4	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/07/18 15:48
S11	578	S10 and @ad<"20021127"	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/07/18 15:48
S12	2	S11 and (stor\$3 SAME (regenerat\$3 or re-generat\$3) SAME (business NEAR\$2 logic))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/07/18 15:48
S13	22771	((web ADJ page\$1) or webpage\$1) and parameter\$1 and identif\$4	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/07/18 15:48
S14	13296	S13 and @ad<"20021127"	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/07/18 15:48

7/19/06
40

EAST Search History

S15	697	S14 and (stor\$3 and (regenerat\$3 or re-generat\$3) and (business NEAR\$2 logic))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/07/18 15:49
S16	53	S15 and (java adj servlet\$1)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/07/18 15:50
S17	39	("20020038360" "4399503" "4785398" "5740430" "5961602" "5988847" "6038668" "6055569" "6098096" "6173310" "6185608" "6199107" "6205481" "6249804" "6272598" "6330595" "6330606" "6351767" "6385596" "6449657" "6480887" "6542964" "6591266" "6622168" "6647411" "6678793" "6697824" "6725421" "6732237" "6742043" "6745368" "6757708" "6763376" "6772200" "6772209" "6788709" "6799248" "6810417" "6904449").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/18 16:00


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide


THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used generating java servlet webpage

 Found **13,405** of **18:**

 Sort results by
☒ [Save results to a Binder](#)
[Try an Advanced Search](#)

 Display results
☒ [Search Tips](#)
[Try this search in The ACM Guide](#)
☐ [Open results in a new window](#)

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☒

1 Scheme-based web programming as a basis for a CS0 curriculum



Timothy J. Hickey

 March 2004 **ACM SIGCSE Bulletin , Proceedings of the 35th SIGCSE technical symposium on Computer science education SIGCSE '04**, Volume 36 Issue 1

Publisher: ACM Press

Full text available: pdf(93.41 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The thesis of this paper is that Scheme-based web programming is a worthy organizing topic for CS0 computer literacy courses. We describe an approach to introducing non-science majors to Computer Science by teaching them to write webpages using HTML and CSS and to also write applets and servlets using Scheme. The programming component of our approach is completed in about nine weeks of a thirteen week course, leaving time for a treatment of more traditional CS0 topics such as intellectual proper ...

Keywords: CSS, HTML, applets, curriculum, non-majors, pedagogy, scheme, servlets

2 JDBAssist: generating JavaBeans and supporting 3-tier enterprise applications

Alan Audick, Michael E. Locasto, David Pike

 April 2001 **Journal of Computing Sciences in Colleges , Proceedings of the sixth annual CCSC northeastern conference on The journal of computing in small colleges**, Volume 16 Issue 4

Publisher: Consortium for Computing Sciences in Colleges , Consortium for Computing Sciences in Colleges

Full text available: pdf(46.67 KB)

 Additional Information: [full citation](#), [references](#), [index terms](#)

3 Data mining: Interactive wrapper generation with minimal user effort



Utku Irmak, Torsten Suel

 May 2006 **Proceedings of the 15th international conference on World Wide Web WWW '06**

Publisher: ACM Press

Full text available: pdf(288.78 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

While much of the data on the web is unstructured in nature, there is also a significant amount of embedded structured data, such as product information on e-commerce sites or stock data on financial sites. A large amount of research has focused on the problem of generating wrappers, i.e., software tools that allow easy and robust extraction of structured data from text and HTML sources. In many applications, such as comparison shopping, data has to be extracted from many different sources, making ...